

CAPTASA 2010 References

Journal publications:

Adams, Kenneth F., et al. 2006. Overweight, obesity and mortality in a large prospective cohort of persons 50 to 71 years old. *NEJM* 355: 763 – 778.

Bailer, Ursula F., et al. 2005. Altered brain serotonin 5-HT_{1A} receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [Carbonyl¹¹C]WAY-100635. *Arch. Gen. Psych.* 62: 1032 – 1041.

Basavarajappa, B. S., and Hungund, B. L. 2005. Role of the endocannabinoid system in the development of tolerance to alcohol. *Alcohol & Alcoholism*, 40: 15 – 24.

Becker, A.E., et al., 1999. Eating disorders. *NEJM*, 340: 1092-1098.

Bhismadev, C., et al. 2006. Variations in the human cannabinoid receptor (CNR1) gene modulate striatal responses to happy faces. *Eur. J. Neuroscience*, 23: 1944-1948.

Blume, Sheila, 1986. Women and alcohol: a review. *JAMA*, 256: 1467-1470.

Cami, J., and M. Farre, 2003. Mechanisms of disease: Drug addiction. *NEJM*, 349: 975 – 986.

Christakis, Nicholas A., and Fowler, James H. 2007. The spread of obesity in a large social network over 32 years. *NEJM* 357: 370 – 379.

Comings, D.E., et al., 1997. Cannabinoid receptor gene (CNR1): Association with IV drug use. *Molecular Psychiatry* 2: 161-168.

Eckel, R. H., 2008. Nonsurgical management of obesity in adults. *NEJM* 358: 1941 – 1050.

Edenberg, H.J.; Foroud, T.; Koller, D.L.; et al. A family-based analysis of the association of the dopamine D₂ receptor (*DRD₂*) with alcoholism. *Alcoholism: Clinical and Experimental Research* 22:505–512, 1998a.

Edenberg, H.J.; Reynolds, J.; Koller, D.L.; et al. A family-based analysis of whether the functional promoter alleles of the serotonin transporter gene *HTT* affect the risk for alcohol dependence. *Alcoholism: Clinical and Experimental Research* 22:1080–1085, 1998b.

Enoch, M. A., Goldman, D., 1999. Genetics of alcoholism and substance abuse. *Psychiatric Clin. N. America* 22: 289-99.

Foroud, T., Bucholz, K.K., Edenberg, H.J., et al. 1998. Linkage of an alcoholism-related severity phenotype to chromosome 16. *Alcoholism: Clinical and Experimental Research* 22:2035–2042.

Foroud, T.; Edenberg, H.J.; Goate, A.; et al. 2000. Alcoholism susceptibility loci: Confirmation studies in a replicate sample and further mapping. *Alcoholism: Clinical and Experimental Research* 24:933–945.

Fowler, Christopher J., et al. 2005. The endocannabinoid signaling system: Pharmacological and therapeutic aspects. *Pharm. Biochem. & Behav.* 81: 248 – 262.

Gelernter, Joel, et al. 2006. Genomewide linkage scan for opioid dependence and related traits. *Am. J. Human Genetics.*, 78: 759-769.

Grobin, A. C., et al., 1998. The role of GABA-A receptors in the acute and chronic effects of ethanol. *Psychopharmacology* 139: 2-19.

Heath, A.C., et al., 1999. Genetic differences in alcohol sensitivity and the inheritance of alcoholism risk. *Psychol. Med.* 29: 1069-81.

Heinz, A., et al., 1998. Reduced central serotonin transporters in alcoholism. *Am. J. Psychiatry* 155: 1544-9.

Hungund, B.L., and B. S. Basabarajappa. 2000. Distinct differences in the cannabinoid receptor binding in the brain of C57BL/6 and DBA/2 mice, selected for their differences in voluntary ethanol consumption. *J. Neuroscience Res.*, 60: 122-128.

Johnson, B. A., and N. Ait-Daoud, 1999. Medications to treat alcohol. *Alcohol Research and Health* 23: 99-105.

Johnstone, E., et al. 2006. Determinants of the rate of nicotine metabolism and effects on smoking behavior. *Clin. Pharm. & Therapeutics*, October, 2006: 319-330.

Kosten, T. R., and P. G. O'Connor, 2003. Current concepts: Management of drug and alcohol withdrawal. *NEJM*, 348: 1786 – 1795.

Kaye, Walter H., et al. 2005. Brain imaging of serotonin after recovery from anorexia and bulimia nervosa. *Physiol. & Behav.* 86: 15 – 17.

Kaye, Walter H., et al. 2005. Neurobiology of anorexia nervosa: Clinical implications of alterations of the function of serotonin and other neuronal systems. *Int. J. Eat. Disord.* 37: S15 – S19.

Kaye, Walter H., et al. 2005. Serotonin alterations in anorexia and bulimia nervosa: New insights from imaging studies. *Physiol. & Behav.* 85: 73 – 81.

- Lerman, C., et al. 2002. Pharmacogenetic investigation of smoking cessation treatment. *Pharmacogenetics*, 12: 627-634.
- Matsushita, Sachio, et al., 2004. Serotonin transporter regulatory region polymorphism is associated with anorexia nervosa. *Am. J. Med. Gen.* 128B: 114-117.
- Mihic, S.J., Harris, R. A., 1997. GABA and the GABA-A receptor. *Alcohol Health and Research World* 21: 127-131.
- Miksys, S., et al. 2003. Smoking, alcoholism and genetic polymorphisms alter CYP2B6 levels in human brain. *Neuropharmacology*, 45: 122-132.
- Morse, R. M., Flavin, D. K., JC-NCADD/ASAM, 1992. The definition of alcoholism. *JAMA* 268: 1012-1014.
- Nestler, E.J., Aghajanian, G. K., 1997. Molecular and Cellular Basis of Addiction. *Science*, 278: 58-63.
- Noble, E.P., et al., 1998. D2 Dopamine receptor and GABA(A) receptor beta3 subunit genes and alcoholism. *Psychiatry Res.* 81: 133-47.
- O'Connor, P.G., Schottenfeld, R.S., 1998. Patients with alcohol problems. *NEJM* 338: 592-602.
- Pacher, P., S. Batkai, and G. Kunos. 2006. The endocannabinoid system as an emerging target of pharmacotherapy. *Pharmacological Reviews* 58: 389 – 462
- Pagotto, Umberto, et al. 2007. The emerging role of the endocannabinoid system in endocrine regulation and energy balance. *Endocrine Reviews* 27: 73-100.
- Parsian, A, Zhang, Z.H., 1999. Human chromosomes 11p15 and 4p12 and alcohol dependence: possible association with the GABRB1 gene. *Am. J. Med. Genet.* 88:533-8.
- Racz, Ildiko, et al. 2003. A critical role for the cannabinoid CB1 receptors in alcohol dependence and stress-stimulated ethanol drinking. *J. Neuroscience* 23: 2453-2458.
- Sander, T., et al. 1998. Serotonin transporter gene variants in alcohol-dependent subjects with dissociative personality disorder. *Biol. Psychiatry* 43: 908-12
- Schuckit, M.A., et al. 1999. Selective genotyping for the role of 5-HT2A, 5-HT2C, and GABA alpha 6 receptors and the serotonin transporter in the level of response to alcohol: a pilot study. *Biol. Psychiatry* 45: 647-51.
- Soria, G., et al. 2005. Lack of CB1 cannabinoid receptor impairs cocaine self-administration. *Neuropsychopharmacology* 30: 1670-1980.

Swift, R. M., 1999. Medications and Alcohol craving. *Alcohol Research and Health* 23: 207-213.

Urbano-Marquez, A., et al., 1995. The greater risk of alcoholic cardiomyopathy and myopathy in women compared to men. *JAMA*, 274: 149-154.

Xie, S., et al. 2007. The endocannabinoid system and rimonabant: a new drug with a novel mechanism of action involving cannabinoid CB1 receptor antagonism – or inverse agonism – as potential obesity treatment and other therapeutic use. *J. Clin. Pharm. & Ther.* 32: 209 – 231.

GENERAL REFERENCES and RESOURCES

Alcoholics Anonymous, 4th edition. 2003. Alcoholics Anonymous World Services, NY.

Another Chance: Hope and health for the Alcoholic family, 2nd edition. 1989. Sharon Wegsheider Cruse. Science and Behavior Books, Inc., Palo Alto, CA.

Drug and Alcohol Abuse, 3rd edition. 1994. Marc A. Schuckit, M.D. Plenum Medical Book Co., NY.

Grand Children of Alcoholics: Another generation of co-dependency, 1988. Ann W. Smith. Health Communications, Deerfield Beach FL.

Principles of Addiction Medicine. 2003. American Society of Addiction Medicine, Rockville MD.